



US00D523380S

(12) **United States Design Patent**
Auger et al.

(10) **Patent No.:** **US D523,380 S**

(45) **Date of Patent:** **** Jun. 20, 2006**

(54) **DOUBLE SUSPENSION BICYCLE FRAME**

(75) Inventors: **Érick Auger**, Jonquière (CA); **Félix Gauthier**, Chicoutimi (CA)

(73) Assignee: **Cycles Devinci Inc.**, Saguenay (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,370**

(22) Filed: **Aug. 2, 2004**

(30) **Foreign Application Priority Data**

Jun. 14, 2004 (CA) 107284

(51) **LOC (8) Cl.** **12-11**

(52) **U.S. Cl.** **D12/111**

(58) **Field of Classification Search** D12/111,
D12/117; 280/274-288, 281.1, 288.1-288.4,
280/124.1, 124.11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,957,473 A * 9/1999 Lawwill 280/284
6,439,593 B1 * 8/2002 Tseng 280/284

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Linda Brooks

(74) *Attorney, Agent, or Firm*—Cain Lamarre Casgrain Wells

(57) **CLAIM**

The ornamental design for a double suspension bicycle frame, as shown and described.

DESCRIPTION

FIG. 1 is a rear right side view of a double suspension bicycle frame showing our new design;

FIG. 2 is an enlarged rear right side view showing the rear dropouts thereof separately, for clarity of illustration;

FIG. 3 is an enlarged rear right side view showing the four bar linkage suspension thereof separately, for clarity of illustration;

FIG. 4 is an enlarged rear right side view showing the front tubes thereof separately, for clarity of illustration;

FIG. 5 is a right side elevation view of FIG. 1; and,

FIG. 6 is an enlarged section view taken along line 6—6 in FIG. 5.

The characteristic feature of the design resides in the shape of the rear dropouts, the linkages' pocket, the double plates and the trapezium-shaped front tubes.

1 Claim, 6 Drawing Sheets




Figure 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5





FIGURE 6



SECTION 6-6