



US00D643784S

(12) **United States Design Patent**  
**Zobel**

(10) **Patent No.:** **US D643,784 S**

(45) **Date of Patent:** **\*\* Aug. 23, 2011**

(54) **TANDEM BICYCLE FRAME WITH  
RECUMBENT SEAT**

(76) Inventor: **Robert Zobel**, Mesa, AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/375,275**

(22) Filed: **Sep. 20, 2010**

(51) **LOC (9) Cl.** ..... **12-11**

(52) **U.S. Cl.** ..... **D12/111**

(58) **Field of Classification Search** ..... D12/109,  
D12/111, 117; 280/263, 266-269, 274-278,  
280/283-288, 280, 259-261, 281.1, 279  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |      |         |                 |       |           |
|-----------|------|---------|-----------------|-------|-----------|
| D193,462  | S *  | 8/1962  | Silbereis       | ..... | D12/109   |
| 3,075,788 | A *  | 1/1963  | Silbereis       | ..... | 280/281.1 |
| 3,362,724 | A *  | 1/1968  | Carnielli       | ..... | 280/231   |
| 4,029,326 | A *  | 6/1977  | Blow, Jr.       | ..... | 280/7.16  |
| 5,282,639 | A *  | 2/1994  | Chen            | ..... | 280/231   |
| D383,098  | S *  | 9/1997  | Richman         | ..... | D12/111   |
| 6,497,426 | B2 * | 12/2002 | VanPelt         | ..... | 280/287   |
| 6,612,597 | B2 * | 9/2003  | Baker et al.    | ..... | 280/204   |
| 6,644,677 | B1 * | 11/2003 | Rose            | ..... | 280/288.1 |
| D619,050  | S *  | 7/2010  | Tolhurst et al. | ..... | D12/111   |

\* cited by examiner

*Primary Examiner* — Phillip S Hyder

*Assistant Examiner* — Linda Brooks

(74) *Attorney, Agent, or Firm* — Schmeiser, Olsen & Watts  
LLP


(57) **CLAIM**

The ornamental design for the tandem bicycle frame with recumbent seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front and right side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 2 is a another front and right side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 3 is a front and left side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 4 is a rear and left side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 5 is a rear and right side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 6 is a front, bottom and right side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 7 is a front, bottom and left side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 8 is a rear, bottom and left side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 9 is a rear, bottom and right side perspective view of tandem bicycle frame with recumbent seat;  
 FIG. 10 is a left side view of the tandem bicycle frame with recumbent seat;  
 FIG. 11 is a right side view of the tandem bicycle frame with recumbent seat;  
 FIG. 12 is a bottom view of the tandem bicycle frame with recumbent seat;  
 FIG. 13 is a top view of tandem bicycle frame with recumbent seat;  
 FIG. 14 is a front view of the tandem bicycle frame with recumbent seat; and,  
 FIG. 15 is a rear view of the tandem bicycle frame with recumbent seat.

**1 Claim, 15 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15