



US00D843067S

(12) **United States Design Patent**
Seymour et al.

(10) **Patent No.:** **US D843,067 S**
(45) **Date of Patent:** **** Mar. 12, 2019**

(54) **FIRE EXTINGUISHER FLUFFING WRENCH**

(71) Applicants: **Justun C. Seymour**, Eau Claire, WI (US); **Seth Rooney**, Chippewa Falls, WI (US)

(72) Inventors: **Justun C. Seymour**, Eau Claire, WI (US); **Seth Rooney**, Chippewa Falls, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/602,227**

(22) Filed: **Apr. 28, 2017**

(51) **LOC (11) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/125**

(58) **Field of Classification Search**
USPC D23/355-369, 213, 214, 223, 224, 225, D23/231; D28/5, 6; 261/DIG. 17, 261/DIG. 42, DIG. 65, DIG. 88, DIG. 89, 261/DIG. 47, DIG. 55, DIG. 70; 392/356, 392/390, 392, 394, 395; 239/34, 44, 53, 239/55, 56, 326, 60, 308, 589; D9/687, D9/600, 695; D7/591; D29/125, 126, D29/129, 130; 169/7, 89; 222/210, 324
CPC .. A62C 2/00; A62C 8/00; A62C 13/76; A62C 13/64
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|------------|---------|---------------|
| D59,319 S | 10/1921 | Andrews |
| D121,011 S | 3/1940 | Grant, Jr. |
| D152,612 S | 9/1947 | Guise et al. |
| D152,645 S | 2/1948 | Nurkiewicz |
| D152,650 S | 2/1949 | Phister |
| D152,718 S | 2/1949 | Meyer |
| D152,812 S | 2/1949 | Mapes |
| D153,320 S | 4/1949 | Raskob et al. |

| | | |
|-------------|---------|----------------|
| D155,456 S | 10/1949 | Seaberg |
| D158,263 S | 4/1950 | Gordon |
| D164,346 S | 8/1951 | Allen |
| D169,641 S | 5/1953 | Schroeder, Jr. |
| D171,066 S | 12/1953 | Van Sciver |
| D172,373 S | 6/1954 | Wagner |
| D199,980 S | 1/1965 | Huthsing, Jr. |
| D202,341 S | 9/1965 | Rodgers |
| D203,979 S | 3/1966 | Brennan et al. |
| D207,260 S | 3/1967 | Jensen |
| D215,654 S | 10/1969 | Huthsing, Jr. |
| D228,900 S | 10/1973 | Hogg |
| D237,895 S | 12/1975 | Allen et al. |
| D244,392 S | 5/1977 | Montambo |
| D250,353 S | 11/1978 | Avant |
| 4,899,826 A | 2/1990 | Penn |
| D307,648 S | 5/1990 | Arrington |

(Continued)

Primary Examiner — Randall H Gholson

(74) *Attorney, Agent, or Firm* — Kirk A. Buhler; Buhler & Associates

(57) **CLAIM**

The ornamental design for a fire extinguisher fluffing wrench, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the fire extinguisher fluffing wrench showing our new design;

FIG. 2 is a front view the rear view being a mirror image thereof;

FIG. 3 is a bottom view thereof;


FIG. 4 is a top perspective view thereof;

FIG. 5A is a top perspective view of the wrench on a fire extinguisher thereof; and,

FIG. 5B is a top perspective view of the wrench displaced from a fire extinguisher.

The features shown in broken lines in FIGS. 3, 5A and 5B depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|------------------|------------|
| D328,158 | S | 7/1992 | Levy | |
| D328,368 | S | 7/1992 | Levy | |
| D488,589 | S | 4/2004 | Yang et al. | |
| 7,128,163 | B1 | 10/2006 | Rousseau | |
| 7,318,484 | B2 | 1/2008 | Rousseau | |
| 7,650,948 | B2 | 1/2010 | Rousseau | |
| D615,360 | S * | 5/2010 | Joy | D7/510 |
| D649,879 | S * | 12/2011 | Gullickson | D9/443 |
| 8,734,874 | B1 * | 5/2014 | Paolone | A23F 5/243 |
| | | | | 220/254.1 |
| 8,757,282 | B2 | 6/2014 | Rousseau | |
| 8,820,423 | B2 | 9/2014 | Rousseau | |

* cited by examiner

FIG. 1





FIG. 2






FIG. 3




FIG. 4




FIG. 5B




FIG. 5A